

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**








FIG. 3






FIG. 4


Class Diagram: component / Components




Class Diagram: model / Model Structure



Class Diagram: controller / Controller Structure



Class Diagram: controller / Context (Model Nodes)




800

↑

640

F16. 8

Class Diagram: view / View Structure



Class Diagram: controller / Context Mapping

Page 10 of 13

Matter No.: 13913-108001
 Applicant(s): Johannes Lauterbach et al.
 DEVELOPING APPLICATIONS USING A METAMODEL




FIG. 10

1000 →

FIG. 11





FIG. 12



pure transient states

FIG. 13

